




Comment	Description	Designator	Footprint	LibRef	Quantity
10pF		C1, C2, C10, C11	C0603	10pF	4
10uF		C3, C4, C5, C16, C18, C20, C22, C25	C0603	10uF	8
100nF		C6, C8, C9, C12, C13, C14, C15, C17, C19, C21, C23, C24, C26, C27, C28, C29, C30, C31	C0603	100nF	18
100uF		C7	100UF	100uF	1
0.1u	Capacitor	C32	C0603	Cap	1
1u	Capacitor	C33	6-0805_N	Cap	1
100u	Polarized Capacitor (Radial)	C34	SMB	Cap Pol1	1
1.25T-10P-WT		CN1	1.25T-10P-WT	1.25T-10P-WT	1
1.25T-9P-WT		CN2	1.25T-9P-WT	1.25T-9P-WT	1
1.25T-2P-WT		CN3	1.25T-2P-WT	1.25T-2P-WT	1
LED2	Typical RED, GREEN, YELLOW, AMBER GaAs LED	D1	LED0603	LED2	1
SK1045	Schottky Diode	D2, D3	SMB	D Schottky	2
40PIN		H1	HDR2X20	40PIN	1
pcie		H2	HDR2X12	pcie	1
19-217/GHC-YR1S2/3T		LED?	LED0603	19-217/GHC-YR1S2/3T	1
M2-M-Key		M?	APCI0113-P001A	M2-M-Key	1
Header 4	Header, 4-Pin	P1	1.25T-4P-WT_C722640	Header 4	1
1.25-4P	Header, 4-Pin	P2, P3, P4	1.25T-4P-WT_C722640	Header 4	3
1.25-4P TC300 NET	Header, 4-Pin	P5	1.25T-4P-WT_C722640	Header 4	1
Header 6	Header, 6-Pin	P6	1.25-6P WT	Header 6	1
4.7u	Capacitor	PC1	6-0805_N	Cap	1
22u	Capacitor	PC2	6-0805_N	Cap	1
2.2μH	XAL4020-222ME	PL1	XAL4020-102ME	L_AXIAL-0.4_US	1
Res1	Resistor	PR1	6-0805_N	Res1	1
56k	Resistor	PR2	6-0805_N	Res1	1
12.4k	Resistor	PR3	6-0805_N	Res1	1
1k		R1	R0603	1k	1
100K		R2, R3, R6	R0603	100K	3
2.2K		R4	R0603	2.2K	1
47K		R5	R0603	47K	1
2.49K		R7	R0603	2.49K	1
10K		R8, R9, R10	R0603	10K	3
TLV62569	SOT23-6	U1	tlv62569 sot23-6	TLV62569	1
主机供电		U2, U3	电源模块	主机供电	2
FE1.1S		U4	FE1.1S MSOP28	FE1.1S	1
CH340E		U5, U6	ch340e	CH340E	2
MX25L1606EM1I-12G		U7	MX25L1606EM1I-12G、	MX25L1606EM1I-12G	1
RTL8152B-VB-CG		U8	RTL8152B-VB-CG	RTL8152B-VB-CG	1
MAX3232ESE+T		U9	MAX3232ESE+T	MAX3232ESE+T	1
25MHz		X1	25MHZ XTAL	25MHz	1
12MHz		X2	25MHZ XTAL	12MHz	1